

- Douglas Diamond and Philip Dybvig. 1983. "Bank Runs, Deposit Insurance, and Liquidity." *Journal of Political Economy* 91: 401-19.



Douglas Diamond



Philip Dybvig

- three periods:  $T = 0, 1, 2$
- a single good
- a continuum of agents with measure 1
- Each agent is endowed with 1 unit of the good in period 0.

## The Model: Asset Return

$$\begin{array}{ccc} T = 0 & T = 1 & T = 2 \\ -1 & \begin{cases} 0 \\ 1 \end{cases} & \begin{matrix} R \\ 0 \end{matrix} \end{array}$$

## The Model: Preferences

- In period 0, all agents are identical.
- In period 1, some agents become “patient” and others become “impatient”. (private information)
- $$\begin{cases} u(c_1) & \text{if impatient} \\ u(c_2) & \text{if patient} \end{cases}$$
- The probability of being impatient is  $\lambda$  for each agent in period 0.

# Autarky

- autarky:
  - ▶ utility of the impatient in period 1:  $u(1)$
  - ▶ utility of the patient in period 2:  $u(R)$
  - ▶ expected utility in period 0:  $\lambda u(1) + (1 - \lambda)u(R)$
- $1 < R$ 
  - ▶ “insurance” against the liquidity shock is desirable.

# Banking Economy

- Banks offers demand deposit contract  $(d_1, d_2)$ .
- Agents
  - ▶ make deposits in period 0.
  - ▶ withdraw  $d_1$  in period 1.
  - ▶ or withdraw  $d_2$  in period 2.
- free-entry banking sector:  $(d_1, d_2)$  maximizes the depositor's expected utility.


# Optimal Deposit Contract

$$\max_{d_1, d_2} \lambda u(d_1) + (1 - \lambda)u(d_2)$$

$$s.t. \quad \underbrace{(1 - \lambda)d_2}_{\text{withdrawals in period 2}} \leq \underbrace{(1 - \lambda d_1)R}_{\text{resources in period 2}} \quad (RC)$$


$$d_1 \leq d_2 \quad (IC)$$

## Optimal Deposit Contract:





## Optimal Deposit Contract:



$$\underbrace{\frac{\lambda u'(d_1^*)}{1-\lambda u'(d_2^*)}}_{MRS} = \underbrace{\frac{\lambda}{1-\lambda}R}_{MRT}$$

## What do banks do?

- $u'(d_1^*)/u'(d_2^*) = R$
- $u'' < 0 \Rightarrow d_1^* < d_2^*$
- CRRA:  $u(c) = \frac{c^{1-\gamma}}{1-\gamma}$ 
  - ▶  $u'(c) = c^{-\gamma} \Rightarrow u'(d_1)/u'(d_2) = (d_2/d_1)^\gamma$
  - ▶ if  $\gamma = 1 \Rightarrow d_1^* = 1, d_2^* = R$
  - ▶ if  $\gamma > 1 \Rightarrow 1 < d_1^* < d_2^* < R$

## Why do bank runs occur?

- $\gamma > 1 \implies 1 < d_1^* < d_2^* < R$
- IC:  $d_1 \leq d_2$
- Expectation: Only the impatient depositors withdraw in period 1.
- A patient depositor can  $\left\{ \begin{array}{ll} \text{get } d_2^* & \text{if he withdraws in period 2} \\ \text{get } d_1^* & \text{if he withdraws in period 1} \end{array} \right.$

## Why do bank runs occur?

- $\gamma > 1 \implies 1 < d_1^* < d_2^* < R$
- Expectation: All other depositors demand withdraw in period 1.
- A patient depositor can
  - get *nothing* if he withdraws in period 2
  - get  $d_1^*$  w.p.  $(1/d_1^*)$  if he withdraws in period 1